

select one to be executed in some fair manner (such as first-come-first-serve). If only one of the conditions is true, and the procedure named in an **accept** statement in the body of the when statement is open, that one will be executed. If both of the **when** conditions are false, an error condition occurs (this usually terminates the process.)

# Producer Consumer Problem

## Introduction

This algorithm uses ADA to solve the producer/consumer (or bounded-buffer) problem.

## Algorithm

This process (task, to ADA) manages the buffer.

```

1  task boundedbuffer is
2      entry deposit(data: in item);
3      entry extract(data: out item);
4  end;
5  task body boundedbuffer is
6      buffer: array[0..n-1] of item;
7      count: integer range 0..n := 0;
8      in, out: integer range 0..n-1 := 0;
9      begin
10     loop
11         select
12             when count < n =>
13                 accept deposit(data: in item) do
14                     buffer[in] := data;
15                 end;
16                 in := (in + 1) mod n;
17                 count := count + 1;
18             or when count > 0 =>
19                 accept extract(data: out item) do
20                     data := buffer[out];
21                 end;
22                 out := (out + 1) mod n;
23                 count := count - 1;
24             end select;
25     end loop;
26 end.
```

The producer deposits an item into the buffer with

```
27     boundedbuffer.deposit(nextp);
```

and the consumer extracts an item from the buffer with

```
28     boundedbuffer.extract(nextc);
```

## Comments

- lines 1-4      This indicates that the procedures *deposit* and *extract* may be called outside the task, and that *extract* will return something in its parameter list (the **out**).
- lines 6-8      As usual, *buffer* is the buffer, and *count* the number of items currently in the buffer; *in* and *out* are the indices indicating where deposits go or where extractions come from.
- lines 13-17    If there is room in the buffer (**when** *count* < *n*) this process will accept a request to deposit an item in it (**accept** *deposit* ...); it then updates its variables.
- lines 18-23    If there is an item in the buffer (**when** *count* > 0) this process will accept a request to extract an item from the buffer (**accept** *extract* ...); the item is returned via the parameter list. This procedure then updates its variables.
- line 24        If both of the above two **when** conditions are true, and both a producer and consumer has invoked a procedure named by an **accept** statement (called “an open accept statement”), the system will

# Producer Consumer Problem

## Introduction

This algorithm uses blocking send and receive primitives to solve the producer/consumer (or bounded-buffer) problem. In this solution, the buffer size depends on the capacity of the link.

## Algorithm

```
1  var  nextp, nextc: item;
2  procedure producer;
3  begin
4      while true do begin
5          (* produce item in nextp *)
6          send("Consumerprocess", nextp);
7      end;
8  end;
9  procedure consumer;
10 begin
11     while true do begin
12         receive("Producerprocess", nextc);
13         (* consume item in nextc *)
14     end;
15 end;
16 begin
17     parbegin
18         Consumerprocess: consumer;
19         Producerprocess: producer;
20     parend
21 end.
```

## Comments

- line 1            Here, *nextp* is the item the consumer produces, and *nextc* the item that the consumer consumes.
- lines 2-8        This procedure simply generates items and sends them to the consumer process (named *Consumerprocess*). Suppose the capacity of the link is  $n$  items. If  $n$  items are waiting to be consumed, and the producer tries to **send** the  $n+1$ -st item, the producer will block (suspend) until the consumer has removed one item from the link (i.e., done a **receive** on the producer process). Note the name of the consumer process is given explicitly, so this is an example of “explicit naming” or “direct communication.” Also, since the **send** is blocking, it is an example of “synchronous communication.”
- lines 9-15       This code simply receives items from the producer process (named *Producerprocess*) and consumes them. If when the receive statement is executed there are no items in the link, the consumer will block (suspend) until the producer has put an item from the link (i.e., done a **send** to the consumer process). Note the name of the producer process is given explicitly; again this is an example of “explicit naming” or “direct communication.” Also, since the **receive** is blocking, it is an example of “synchronous communication.”
- lines 17-20      This starts two concurrent processes, the *Consumerprocess* and the *Producerprocess*.

## send/receive Chart

### Introduction

These charts summarize the actions of the send and receive primitives using both blocking and non-blocking mode and explicit and implicit naming.

### Charts

This chart summarizes how naming and blocking affects the send primitive.

<i>send</i>	<i>blocking</i>	<i>non-blocking</i>
<i>explicit naming</i>	send message to receiver; wait until message accepted	send message to receiver
<i>implicit naming</i>	broadcast message; wait until all processes accept message	broadcast message

This chart summarizes how naming and blocking affects the receive primitive.

<i>receive</i>	<i>blocking</i>	<i>non-blocking</i>
<i>explicit naming</i>	wait for message from named sender	if there is a message from the named sender, get it; otherwise, proceed
<i>implicit naming</i>	wait for message from any sender	if there is a message from any sender, get it; otherwise, proceed

# Monitors and Priority Waits

## Introduction

This is an example of a monitor using priority waits. It implements a simple alarm clock; that is, a process calls `alarmclock.wakeme(n)`, and suspends for *n* seconds. Note that we are assuming the hardware invokes the procedure `tick` to update the clock every second.

## Algorithm

```
1  alarmclock: monitor;
2  var   now: integer;
3         wakeup: condition;
4  procedure entry wakeme(n: integer);
5  begin
6     alarmsetting := now + n;
7     while now < alarmsetting do
8         wakeup.wait(alarmsetting);
9     wakeup.signal;
10 end;
11 procedure entry tick;
12 begin
13     now := now + 1;
14     wakeup.signal;
15 end.
```

## Comments

- lines 2-3      Here, *now* is the current time (in seconds) and is updated once a second by the procedure `tick`. When a process suspends, it will do a wait on the condition `wakeup`.
- line 6        This computes the time at which the process is to be awakened.
- lines 7-8     The process now checks that it is to be awakened later, and then suspends itself.
- line 9        Once a process has been woken up, it **signals** the process that is to resume next. That process checks to see if it is time to wake up; if not, it suspends again (hence the **while** loop above, rather than an **if** statement). If it is to wake up, it **signals** the next process...
- line 14       This is done once a second (hence the addition of 1 to *now*). The processes to be woken up are queued in order of remaining time to wait with the next one to wake up first. So, when `tick` signals, the next one to wake up determines if it is in fact time to wake up. If not, it suspends itself; if so, it proceeds.

---

signals some other process that that process may proceed (using the same priority as above). It suspends on the semaphore  $xcond$ . When restarted, it indicates it is done with the  $x.wait$  by subtracting 1 from  $xcondcount$ , and proceeds. Note that the  $down(xcond)$  will always suspend the process since, unlike semaphores, if no process is suspended on  $x.wait$ , then  $x.signal$  is ignored. So when this is executed, the value of the semaphore  $xcond$  is always 0.

lines 16-21

First, the process indicates it will be executing an  $x.signal$  by adding 1 to  $urgentcount$ . It then checks if any process is waiting on condition variable  $x$  ( $xcondcount > 0$ ), and if so signals any such process ( $up(xcondsem)$ ) before suspending itself ( $down(urgent)$ ). When restarted, the process indicates it is no longer suspended (by subtracting 1 from  $urgentcount$ ).

# Monitors and Semaphores

## Introduction

This handout describes how to express monitors in terms of semaphores. If an operating system provided semaphores as primitives, this is what a compiler would produce when presented with a monitor.

## Algorithm

```
1  var    mutex, urgent, xcond: semaphore;
2         urgentcount, xcondcount: integer;
```

The body of each procedure in the monitor is set up like this:

```
3  down(xmutex);
4  (* procedure body*)
5  if urgentcount > 0 then
6      up(urgent)
7  else
8      up(mutex);
```

Each *x.wait* within the procedure is replaced by:

```
9  xcondcount := xcondcount + 1;
10 if urgentcount > 0 then
11     up(urgent)
12 else
13     up(mutex);
14 down(xcond);
15 xcondcount := xcondcount - 1;
```

Each *x.signal* within the procedure is replaced by:

```
16 urgentcount := urgentcount + 1;
17 if xcondcount > 0 then begin
18     up(xcondsem);
19     down(urgent);
20 end;
21 urgentcount := urgentcount - 1;
```

## Comments

- line 1      The semaphore *mutex* is initialized to 1 and ensures that only one process at a time is executing within the monitor. The semaphore *urgent* is used to enforce the requirement that processes that **signal** (and as a result are suspended) are to be restarted before any new process enters the monitor. The semaphore *xcond* will be used to block processes doing **waits** on the condition variable *x*. Note that if there is more than one such condition variable, a corresponding semaphore for each condition variable must be generated. Both *urgent* and *xcond* are initialized to 0.
- line 2      The integer *urgentcount* indicates how many processes are suspended as a result of a **signal** operation (and are therefore waiting on the semaphore *urgent*); the counter *xcondcount* is associated with the condition variable *x*, and indicates how many processes are suspended on that condition (*i.e.*, suspended on the semaphore *xcond*).
- lines 3-8    Since only one process at a time may be in the monitor, the process entering the monitor procedure must wait until no other process is using it (*down(mutex)*). On exit, the process signals others that they may attempt entry, using the following order: if any other process has issues a signal and been suspended (*i.e.*, *urgentcount*  $\neq$  0), the exiting process indicates that one of those is to be continued (*up(urgent)*). Otherwise, one of the processes trying to enter the monitor may do so (*up(mutex)*).
- lines 9-15   First, the process indicates it will be executing an *x.wait* by adding 1 to *xcondcount*. It then

- more readers are reading, it indicates a writer may go ahead by signalling on the condition variable *oktowrite*.
- lines 19-21 In this routine, the writer first sees if any readers or writers are accessing the file; if so, it waits until they are done. Then it indicates that it is writing to the file by setting the boolean *writing* to *true*.
- lines 26-31 Here, the writer first announces it is done by setting *writing* to *false*. Since readers have priority, it then checks to see if any readers are waiting; if so, it signals all of them (as many readers can access the file simultaneously). If not, it signals any writers waiting.
- line 34 This initializes the variables.

# First Readers Writers Problem

## Introduction

This algorithm uses a monitor to solve the first readers-writers problem.

## Algorithm

```
1  readerwriter: monitor
2  var   readcount: integer;
3         writing: boolean;
4         oktoread, oktowrite: condition;
5  procedure entry beginread;
6  begin
7     readcount := readcount + 1;
8     if writing then
9         oktoread.wait;
10 end;
11 procedure entry endread;
12 begin
13     readcount := readcount - 1;
14     if readcount = 0 then
15         oktowrite.signal;
16     end;
17 procedure entry beginwrite;
18 begin
19     if readcount > 0 or writing then
20         oktowrite.wait;
21     writing := true;
22 end;
23 procedure entry endwrite;
24 var   i: integer;
25 begin
26     writing := false;
27     if readcount > 0 then
28         for i := 1 to readcount
29             oktoread.signal;
30     else
31         oktowrite.signal;
32 end;
33 begin
34     readcount := 0; writing := false;
35 end.
```

## Comments

- lines 1-4      Here, *readcount* contains the number of processes reading the file, and *writing* is true when a writer is writing to the file. *Oktoread* and *oktowrite* correspond to the logical conditions of being able to access the file for reading and writing, respectively.
- lines 7-9      In this routine, the reader announces that it is ready to read (by adding 1 to *readcount*). If a writer is accessing the file, it blocks on the condition variable *oktoread*; when done, the writer will signal on that condition variable, and the reader can proceed.
- lines 13-15    In this routine, the reader announces that it is done (by subtracting 1 from *readcount*). If no

- them. If there are no blocked consumers, this is effectively a no-op.
- line 14 As with the previous procedure, this is called from outside the monitor by *buffer.extract(...)*.
- lines 16-17 This code checks to see if there is any unconsumed item in the buffer. If not, the process blocks on the condition *notempty*; when some other process does deposit an element in the buffer, then there will be something for the consumer to extract and that producer process will signal on the condition *notempty*, allowing the blocked one to proceed. Note that while blocked on this condition, other processes may access procedures within the monitor.
- lines 18-20 This code actually extracts the item from the buffer. Note that the monitor guarantees mutual exclusion.
- line 21 Just as a consumer will block on an empty buffer, a producer will block on a full one. This indicates to any such producer process that the buffer is no longer full, and unblocks exactly one of them. If there are no blocked producers, this is effectively a no-op.
- lines 23-25 This is the initialization part.

# Producer Consumer Problem

## Introduction

This algorithm uses a monitor to solve the producer/consumer (or bounded-buffer) problem.

## Algorithm

```
1  buffer: monitor;  
2  var   slots: array [0..n-1] of item;  
3         count, in, out: integer;  
4         notempty, notfull: condition;  
5  procedure entry deposit(data: item);  
6  begin  
7     if count = n then  
8         notfull.wait;  
9     slots[in] := data;  
10    in := in + 1 mod n;  
11    count := count + 1;  
12    notempty.signal;  
13  end;  
14  procedure entry extract(var data: item);  
15  begin  
16     if count = 0 then  
17         notempty.wait;  
18     data := slots[out];  
19     out := out + 1 mod n;  
20     count := count - 1;  
21     notfull.signal;  
22  end;  
23  begin  
24     count := 0; in := 0; out := 0;  
25  end.
```

## Comments

- lines 2-4      Here, *slots* is the actual buffer, *count* the number of items in the buffer, and *in* and *out* the indices of the next element of *slots* where a deposit is to be made or from which an extraction is to be made. There are two conditions we care about: if the buffer is not full (represented by the condition variable *notfull*), and if the buffer is not empty (represented by the condition variable *notempty*).
- line 5        The keyword **entry** means that this procedure may be called from outside the monitor. It is called by placing the name of the monitor first, then a period, then the function name; so, *buffer.deposit(...)*.
- lines 7-8     This code checks to see if there is room in the buffer for a new item. If not, the process blocks on the condition *notfull*; when some other process does extract an element from the buffer, then there will be room and that process will signal on the condition *notfull*, allowing the blocked one to proceed. Note that while blocked on this condition, other processes may access procedures within the monitor.
- lines 9-11    This code actually deposits the item into the buffer. Note that the monitor guarantees mutual exclusion.
- line 12       Just as a producer will block on a full buffer, a consumer will block on an empty one. This indicates to any such consumer process that the buffer is no longer empty, and unblocks exactly one of

- 
- readcount* is incremented by 1; if this is the only reader that will access the file, it waits until any writers have finished (*down(wrt)*). It then indicates other processes may access *readcount* (*down(mutex)*) and proceeds to read from the file.
- lines 16-20 Now the reader is done reading the file (for now.) It must update the value of *readcount* to indicate this, so it waits until no-one else is accessing that variable (*down(mutex)*) and then decrements *readcount*. If no other readers are waiting to read (*readcount* = 0), it signals that any reader or writer who wishes to access the file may do so (*up(wrt)*). Finally, it indicates it is done with *readcount* (*up(mutex)*).
- line 24 Since the file is not accessed here, we don't need to put semaphores around this part.
- lines 25-26 The writer process waits (*down(wrt)*) until no other process is accessing the file; it then proceeds to write to the file.
- line 27 When the writer is done writing to the file, it signals that anyone who wishes to access the file may do so (*up(wrt)*).

# First Readers Writers Problem

## Introduction

This algorithm uses semaphores to solve the first readers-writers problem.

## Algorithm

```
1  var   wrt, mutex: semaphore;
2      readcount: integer;
3  begin
4      readcount := 0;
5      wrt := 1;
6      mutex := 1;
7  parbegin
8      repeat          (* reader process *)
9          (* do something *)
10         down(mutex);
11         readcount := readcount + 1;
12         if readcount = 1 then
13             down(wrt);
14         up(mutex);
15         (* read the file *)
16         down(mutex);
17         readcount := readcount - 1;
18         if readcount = 0 then
19             up(wrt);
20         up(mutex);
21     (* do something else *)
22     until false;
23     repeat          (* writer process *)
24         (* do something *)
25         down(wrt);
26         (* write to the file *)
27         up(wrt);
28         (* do something else *)
29     until false;
30  parend;
31  end.
```

## Comments

lines 1-2      Here, *readcount* contains the number of processes reading the file, and *mutex* is a semaphore used to provide mutual exclusion when *readcount* is incremented or decremented. The semaphore *wrt* is common to both readers and writers and ensures that when one writer is accessing the file, no other readers or writers may do so.

lines 4-6      This just initializes all the semaphores. It is the only time anything other than a *down* or an *up* operation may be done to them. As no readers are yet reading the file, *readcount* is initialized to 0.

line 9          Since the file is not accessed here, we don't need to put semaphores around this part.

lines 10-15     Since the value of the shared variable *readcount* is going to be changed, the process must wait until no-one else is accessing it (*down(mutex)*). Since this process will read from the file,

- lines 18-20      Extracting an item from the buffer, however, does require that the consumer process obtain exclusive access to the buffer. First, the consumer checks that there is a slot in the buffer with an item deposited and, if not, waits until there is ( $down(full)$ ). When there is, it waits until it can obtain exclusive access to the buffer ( $down(mutex)$ ). Once both these conditions are met, it can safely extract the item.
- lines 21-22      As the consumer is done with the buffer, it signals that any other process needing to access the buffer may do so ( $up(mutex)$ ). It then indicates it has extracted another item into the buffer ( $up(empty)$ ).
- line 23          Since the buffer is not accessed while the item is consumed, we don't need to put semaphores around this part.

# Producer/Consumer Problem

## Introduction

This algorithm uses semaphores to solve the producer/consumer (or bounded buffer) problem.

## Algorithm

```

1  var          buffer: array [0..n-1] of item;
2              full, empty, mutex: semaphore;
3              nextp, nextc: item;
4  begin
5      full := 0;
6      empty := n;
7      mutex := 1;
8      parbegin
9          repeat                                (* producer process *)
10             (* produce an item in nextp *)
11             down(empty);
12             down(mutex);
13             (* deposit nextp in buffer *)
14             up(mutex);
15             up(full);
16         until false;
17         repeat                                (* consumer process *)
18             down(full);
19             down(mutex);
20             (* extract an item in nextc *)
21             up(mutex);
22             up(empty);
23             (* consume the item in nextc *)
24         until false;
25     parend;
26 end.
```

## Comments

- lines 1-3      Here, *buffer* is the shared buffer, and contains *n* spaces; *full* is a semaphore the value of which is the number of filled slots in the buffer, *empty* is a semaphore the value of which is the number of empty slots in the buffer, and *mutex* is a semaphore used to enforce mutual exclusion (so only one process can access the buffer at a time). *nextp* and *nextc* are the items produced by the producer and consumed by the consumer, respectively.
- line 5-7      This just initializes all the semaphores. It is the only time anything other than a *down* or an *up* operation may be done to them.
- line 10       Since the buffer is not accessed while the item is produced, we don't need to put semaphores around this part.
- lines 11-13   Depositing an item into the buffer, however, does require that the producer process obtain exclusive access to the buffer. First, the producer checks that there is an empty slot in the buffer for the new item and, if not, waits until there is (*down(empty)*). When there is, it waits until it can obtain exclusive access to the buffer (*down(mutex)*). Once both these conditions are met, it can safely deposit the item.
- lines 14-15   As the producer is done with the buffer, it signals that any other process needing to access the buffer may do so (*up(mutex)*). It then indicates it has put another item into the buffer (*up(full)*).

A solution must prevent both.




Figure. The Dining Philosopher's Table

# Classical Synchronization Problems

## Introduction

This handout states three classical synchronization problems that are often used to compare language constructs that implement synchronization mechanisms and critical sections.

## The Producer-Consumer Problem

In this problem, two processes, one called the *producer* and the other called the *consumer*, run concurrently and share a common buffer. The producer generates items that it must pass to the consumer, who is to consume them. The producer passes items to the consumer through the buffer. However, the producer must be certain that it does not deposit an item into the buffer when the buffer is full, and the consumer must not extract an item from an empty buffer. The two processes also must not access the buffer at the same time, for if the consumer tries to extract an item from the slot into which the producer is depositing an item, the consumer might get only part of the item. Any solution to this problem must ensure none of the above three events occur.

A practical example of this problem is electronic mail. The process you use to send the mail must not insert the letter into a full mailbox (otherwise the recipient will never see it); similarly, the recipient must not read a letter from an empty mailbox (or he might obtain something meaningless but that looks like a letter). Also, the sender (producer) must not deposit a letter in the mailbox at the same time the recipient extracts a letter from the mailbox; otherwise, the state of the mailbox will be uncertain.

Because the buffer has a maximum size, this problem is often called the *bounded buffer problem*. A (less common) variant of it is the unbounded buffer problem, which assumes the buffer is infinite. This eliminates the problem of the producer having to worry about the buffer filling up, but the other two concerns must be dealt with.

## The Readers-Writers Problem

In this problem, a number of concurrent processes require access to some object (such as a file.) Some processes extract information from the object and are called *readers*; others change or insert information in the object and are called *writers*. The Bernstein conditions state that many readers may access the object concurrently, but if a writer is accessing the object, no other processes (readers or writers) may access the object. There are two possible policies for doing this:

*First Readers-Writers Problem.* Readers have priority over writers; that is, unless a writer has permission to access the object, any reader requesting access to the object will get it. Note this may result in a writer waiting indefinitely to access the object.

*Second Readers-Writers Problem.* Writers have priority over readers; that is, when a writer wishes to access the object, only readers which have already obtained permission to access the object are allowed to complete their access; any readers that request access after the writer has done so must wait until the writer is done. Note this may result in readers waiting indefinitely to access the object.

So there are two concerns: first, enforce the Bernstein conditions among the processes, and secondly, enforcing the appropriate policy of whether the readers or the writers have priority.

A typical example of this occurs with databases, when several processes are accessing data; some will want only to read the data, others to change it. The database must implement some mechanism that solves the readers-writers problem.

## The Dining Philosophers Problem

In this problem, five philosophers sit around a circular table eating spaghetti and thinking. In front of each philosopher is a plate and to the left of each plate is a fork (so there are five forks, one to the right and one to the left of each philosopher's plate; see the figure). When a philosopher wishes to eat, he picks up the forks to the right and to the left of his plate. When done, he puts both forks back on the table. The problem is to ensure that no philosopher will be allowed to starve because he cannot ever pick up both forks.

There are two issues here: first, deadlock (where each philosopher picks up one fork so none can get the second) must never occur; and second, no set of philosophers should be able to act to prevent another philosopher from ever eating.

# Test and Set Solution

## Introduction

This algorithm solves the critical section problem for  $n$  processes using a Test and Set instruction (called TaS here). This instruction does the following function atomically:

```

function TaS(var Lock: boolean): boolean;
begin
    TaS := Lock;
    Lock := true;
end;

```

## Algorithm

```

1  var          waiting: shared array [0.. $n-1$ ] of boolean;
2              Lock: shared boolean;
3              j: 0.. $n-1$ ;
4              key: boolean;
...
5  repeat          (* process  $P_i$  *)
6              waiting[i] := true;
7              key := true;
8              while waiting[i] and key do
9                  key := TaS(Lock);
10             waiting[i] := false;
11             (* critical section goes here *)
12             j := i + 1 mod n;
13             while (j <> i) and not waiting[j] do
14                 j := j + 1 mod n;
15             if j = i then
16                 Lock := false
17             else
18                 waiting[j] := false;
19             until false;

```

## Comments

- lines 1-2: These are global to all processes, and are all initialized to `false`.
- lines 3-4: These are local to each process  $P_i$  and are uninitialized.
- lines 5-10: This is the entry section. Basically, `waiting[i]` is `true` as long as  $P_i$  is trying to get into its critical section; if any other process is in that section, then `Lock` will also be `true`, and  $P_i$  will loop in lines 8-9. Once  $P_i$  can go on, it is no longer waiting for permission to enter, and sets `waiting[i]` to `false` (line 10); it then proceeds into the critical section. Note that `Lock` is set to `true` by the `TaS` instruction in line 9 that returns `false`.
- lines 12-18: This is the exit section. When  $P_i$  leaves the critical section, it must choose which other waiting process may enter next. It starts with the process with the next higher index (line 12). It checks each process to see if that process is waiting for access (lines 13-14); if no-one is, it simply releases the lock (by setting `Lock` to `false`; lines 15-16). However, if some other process  $P_j$  is waiting for entry,  $P_i$  simply changes `waiting[j]` to `false` to allow  $P_j$  to enter the critical section (lines 17-18).

# Bogus Bakery Algorithm

## Introduction

Why does Lamport's Bakery algorithm use a variable called *choosing* (see the algorithm, lines 1, 4, 6, and 8)? It is very instructive to see what happens if you leave it out. This gives an example of mutual exclusion being violated if you don't put *choosing* in. But first, the algorithm (with the lines involving *choosing* commented out) so you can see what the modification was:

## Algorithm

```

1  var   (*choosing: shared array [0..n-1] of boolean; *)
2        number: shared array [0..n-1] of integer;
3        ...
4  repeat
5    (*   choosing[i] := true;                               *)
6    (*   number[i] := max(number[0], number[1], ..., number[n-1]) + 1;
7    (*   choosing[i] := false;                               *)
8    for j := 0 to n-1 do begin
9    (*   while choosing[j] do ;                               *)
10   (*   while number[j] <> 0 and
11   (*       (number[j], j) < (number[i], i) do
12   (*       (* nothing *)
13   end;
14   (* critical section *)
15   number[i] := 0;
16   (* remainder section *)
until false;

```

## Proof of Violation of Mutual Exclusion

Suppose we have two processes just beginning; call them  $p_0$  and  $p_1$ . Both reach line 5 at the same time. Now, we'll assume both read  $number[0]$  and  $number[1]$  before either addition takes place. Let  $p_1$  complete the line, assigning 1 to  $number[1]$ , but  $p_0$  block before the assignment. Then  $p_1$  gets through the **while** loop at lines 9-11 and enters the critical section. While in the critical section, it blocks;  $p_0$  unblocks, and assigns 1 to  $number[0]$  at line 5. It proceeds to the while loop at lines 9-11. When it goes through that loop for  $j = 1$ , the condition on line 9 is true. Further, the condition on line 10 is false, so  $p_0$  enters the critical section. Now  $p_0$  and  $p_1$  are both in the critical section, violating mutual exclusion.

The reason for *choosing* is to prevent the **while** loop in lines 9-11 from being *entered* when process  $j$  is setting its  $number[j]$ . Note that if the loop is entered and *then* process  $j$  reaches line 5, one of two situations arises. Either  $number[j]$  has the value 0 when the first test is executed, in which case process  $i$  moves on to the next process, or  $number[j]$  has a non-zero value, in which case at some point  $number[j]$  will be greater than  $number[i]$  (since process  $i$  finished executing statement 5 before process  $j$  began). Either way, process  $i$  will enter the critical section before process  $j$ , and when process  $j$  reaches the **while** loop, it will loop at least until process  $i$  leaves the critical section.

# Bakery Algorithm

## Introduction

This algorithm solves the critical section problem for  $n$  processes in software. The basic idea is that of a bakery; customers take numbers, and whoever has the lowest number gets service next. Here, of course, “service” means entry to the critical section.

## Algorithm

```

1  var  choosing: shared array [0..n-1] of boolean;
2      number: shared array [0..n-1] of integer;
3      ...
4      repeat
5          choosing[i] := true;
6          number[i] := max(number[0], number[1], ..., number[n-1]) + 1;
7          choosing[i] := false;
8          for j := 0 to n-1 do begin
9              while choosing[j] do (* nothing *);
10             while number[j] <> 0 and
11                 (number[j], j) < (number[i], i) do
12                 (* nothing *);
13             end;
14             (* critical section *)
15             number[i] := 0;
16             (* remainder section *)
17         until false;

```

## Comments

- lines 1-2: Here,  $choosing[i]$  is true if  $P_i$  is choosing a number. The number that  $P_i$  will use to enter the critical section is in  $number[i]$ ; it is 0 if  $P_i$  is not trying to enter its critical section.
- lines 4-6: These three lines first indicate that the process is choosing a number (line 4), then try to assign a unique number to the process  $P_i$  (line 5); however, that does not always happen. Afterwards,  $P_i$  indicates it is done (line 6).
- lines 7-12: Now we select which process goes into the critical section.  $P_i$  waits until it has the lowest number of all the processes waiting to enter the critical section. If two processes have the same number, the one with the smaller name – the value of the subscript – goes in; the notation “ $(a,b) < (c,d)$ ” means true if  $a < c$  or if both  $a = c$  and  $b < d$  (lines 9-10). Note that if a process is not trying to enter the critical section, its number is 0. Also, if a process is choosing a number when  $P_i$  tries to look at it,  $P_i$  waits until it has done so before looking (line 8).
- line 14: Now  $P_i$  is no longer interested in entering its critical section, so it sets  $number[i]$  to 0.



# Interprocess Synchronization and Communication

1. Goal: To understand how these are implemented we need to look at what they are and why they are necessary.
2. Bernstein conditions
  - a. can't read, write or write, write from/to same location concurrently
3. Parallel Programming Constructs
  - a. *fork* splits a process, *join* resynchronizes them, *quit* stops one
  - b. *parbegin*, *parend* bracket concurrent statements
4. Critical Section Problem
  - a. mutual exclusion
  - b. progress
  - c. bounded wait
5. Software Solutions
  - a. Peterson's solution
  - b. Lamport's bakery algorithm
6. Hardware Solutions
  - a. Test and Set
7. Semaphores
  - a. non-negative integer variables that can be accessed only using the *wait* and *signal* operations
8. Testing synchronization primitives
  - a. bounded buffer problem
  - b. readers-writers problem
  - c. dining philosophers' problem
9. Abstract datatypes
  - a. classes
  - b. instances
10. Monitors
  - a. mutual exclusion and coordination through *wait*, *signal* operations
  - b. condition variables
  - c. priority waiting
11. Event counters and sequencers
  - a. allow synchronization without mutual exclusion
  - b. sequencers vs. eventcounters
  - c. *read*, *advance*, *await*, *ticket*
12. Problems
  - a. lack of hardware support
  - b. shared memory vs. message-based synchronization schemes
13. Interprocess communication (IPC)
  - a. *send*, *receive*
  - b. blocking vs. non-blocking
  - c. capacity
  - d. explicit vs. implicit naming
  - e. acknowledgements
  - f. process terminations
  - g. lost or corrupted messages
14. Remote Procedure Calls (RPC)
  - a. like a regular subroutine to programmer, but the IPC details are all within the subroutine
15. ADA™
  - a. *accept*, *select* mechanisms
  - b. fair internal policy