

Homework 2

Due Date: February 7, 2008

Total Points: 100

Problems

1. (12 points) text, §4.11, exercise 7.
2. (20 points) text, §18.6, exercise 1.
3. (20 points) text, §23.9, exercise 6.
4. (10 points) text, §5.8, exercise 2.
5. (38 points) This problem asks you to implement a buffer overflow attack on a program. In the Resources area of SmartSite (or the Handout area of the nob.cs.ucdavis.edu class web site) is a program *bad.c*. This program contains a buffer overflow vulnerability; see the call to *gets()* at line 13. Your job is to exploit the overflow by providing input to the running process that will cause the program to invoke the function *trap* (which, you may notice, is not called anywhere else). You will know you've succeeded when you run the program, give it your input, and it prints "Gotcha!"

The following questions will help guide you. Please turn in your answers to them, a hex dump of the input you use to call *trap*, and a typescript of you running the program *bad*, giving it your input, and showing its output.

- a. What is the address of the function *trap()*? How did you determine this?
- b. What is the address on the stack that your input must overwrite (please give both the address of the memory location(s), and their contents)? How did you locate this address?
- c. What is the address of *buf*?
- d. What is the *minimum* length your sled must be? Remember, the sled is the input you give to alter the return address stored on the stack.

Extra Credit Problems

6. (20 points) Augment your solution to problem 5 to execute code you place on the stack. Have the code do something interesting, like create a shell. You will need to check that the loader will allow code on the stack to be executed (the linker/loader switch `-allow_stack_execute` does this).