

# January 28, 2019 Outline

**Reading:** *text*, §5.2–5.3

1. Instantiation of Bell-LaPadula Model: Trusted Solaris
2. Bell-LaPadula: formal model
  - a. Set of requests is  $R$
  - b. Set of decisions is  $D$
  - c.  $W \subseteq R \times D \times V \times V$  is motion from one state to another.
  - d. System  $\Sigma(R, D, W, z_0) \subseteq X \times Y \times Z$  such that  $(x, y, z) \in \Sigma(R, D, W, z_0)$  iff  $(x_i, y_i, z_i, z_{i-1}) \in W$  for each  $i \in T$ ; latter is an action of system
  - e. Theorem:  $\Sigma(R, D, W, z_0)$  satisfies the simple security condition for any initial state  $z_0$  that satisfies the simple security condition iff  $W$  satisfies the following conditions for each action  $(r_i, d_i, (b', m', f', h'), (b, m, f, h))$ :
    - i. each  $(s, o, x) \in b' - b$  satisfies the simple security condition relative to  $f'$  (i.e.,  $x$  is not read, or  $x$  is read and  $f'_s(s) \text{dom} f_o(o)$ ); and
    - ii. if  $(s, o, x) \in b$  does not satisfy the simple security condition relative to  $f'$ , then  $(s, o, x) \notin b'$
  - f. Theorem:  $\Sigma(R, D, W, z_0)$  satisfies the \*-property relative to  $S' \subseteq S$  for any initial state  $z_0$  that satisfies the \*-property relative to  $S'$  iff  $W$  satisfies the following conditions for each  $(r_i, d_i, (b', m', f', h'), (b, m, f, h))$ :
    - i. for each  $s \in S'$ , any  $(s, o, x) \in b' - b$  satisfies the \*-property with respect to  $f'$ ; and
    - ii. for each  $s \in S'$ , if  $(s, o, x) \in b$  does not satisfy the \*-property with respect to  $f'$ , then  $(s, o, x) \notin b'$
  - g. Theorem:  $\Sigma(R, D, W, z_0)$  satisfies the ds-property iff the initial state  $z_0$  satisfies the ds-property and  $W$  satisfies the following conditions for each  $(r_i, d_i, (b', m', f', h'), (b, m, f, h))$ :
    - i. if  $(s, o, x) \in b' - b$ , then  $x \in m'[s, o]$ ; and
    - ii. if  $(s, o, x) \in b$  and  $x \in m'[s, o]$ , then  $(s, o, x) \notin b'$
  - h. Basic Security Theorem: A system  $\Sigma(R, D, W, z_0)$  is secure iff  $z_0$  is a secure state and  $W$  satisfies the conditions of the above three theorems for each action.
3. Using the Bell-LaPadula model
  - a. Define ssc-preserving, \*-property-preserving, ds-property-preserving
  - b. Define relation  $W(\omega)$
  - c. Show conditions under which rules are ssc-preserving, \*-property-preserving, ds-property-preserving
  - d. Show when adding a state preserves those properties
  - e. Example instantiation: get-read for Multics
4. Tranquility
  - a. Strong tranquility
  - b. Weak tranquility