ECS 235B Module 27 Chinese Wall Model

Chinese Wall Model

Problem:

- Tony advises American Bank about investments
- He is asked to advise Toyland Bank about investments
- Conflict of interest to accept, because his advice for either bank would affect his advice to the other bank

Organization

- Organize entities into "conflict of interest" classes
- Control subject accesses to each class
- Control writing to all classes to ensure information is not passed along in violation of rules
- Allow sanitized data to be viewed by everyone

Definitions

- Objects: items of information related to a company
- Company dataset (CD): contains objects related to a single company
 - Written *CD*(*O*)
- Conflict of interest class (COI): contains datasets of companies in competition
 - Written COI(O)
 - Assume: each object belongs to exactly one COI class

Example



Temporal Element

- If Anthony reads any CD in a COI, he can never read another CD in that COI
 - Possible that information learned earlier may allow him to make decisions later
 - Let *PR*(*S*) be set of objects that *S* has already read

CW-Simple Security Condition

- *s* can read *o* iff either condition holds:
 - 1. There is an o' such that s has accessed o' and CD(o') = CD(o)

- Meaning s has read something in o's dataset

- 2. For all $o' \in O$, $o' \in PR(s) \Longrightarrow COI(o') \neq COI(o)$
 - Meaning s has not read any objects in o's conflict of interest class
- Ignores sanitized data (see below)
- Initially, $PR(s) = \emptyset$, so initial read request granted

Sanitization

- Public information may belong to a CD
 - As is publicly available, no conflicts of interest arise
 - So, should not affect ability of analysts to read
 - Typically, all sensitive data removed from such information before it is released publicly (called *sanitization*)
- Add third condition to CW-Simple Security Condition:

3. *o* is a sanitized object

Writing

- Anthony, Susan work in same trading house
- Anthony can read Bank 1's CD, Gas' CD
- Susan can read Bank 2's CD, Gas' CD
- If Anthony could write to Gas' CD, Susan can read it
 - Hence, indirectly, she can read information from Bank 1's CD, a clear conflict of interest

CW-*-Property

• *s* can write to *o* iff both of the following hold:

The CW-simple security condition permits s to read o; and
 For all unsanitized objects o', if s can read o', then CD(o') = CD(o)

 Says that s can write to an object if all the (unsanitized) objects it can read are in the same dataset

Formalism

- Goal: figure out how information flows around system
- S set of subjects, O set of objects, $L = C \times D$ set of labels
- $I_1: O \rightarrow C$ maps objects to their COI classes
- $I_2: O \rightarrow D$ maps objects to their CDs
- *H*(*s*, *o*) true iff *s* has *or had* read access to *o*
- *R*(*s*, *o*): *s*'s request to read *o*

Axioms

- Axiom 8-1. For all $o, o' \in O$, if $I_2(o) = I_2(o')$, then $I_1(o) = I_1(o')$
 - CDs do not span COIs.
- Axiom 8-2. $s \in S$ can read $o \in O$ iff, for all $o' \in O$ such that H(s, o'), either $I_1(o') \neq I_1(o)$ or $I_2(o') = I_2(o)$
 - s can read o iff o is either in a different COI than every other o' that s has read, or in the same CD as o.

More Axioms

- Axiom 8-3. ¬H(s, o) for all s ∈ S and o ∈ O is an initially secure state
 Description of the initial state, assumed secure
- Axiom 8-4. If for some $s \in S$ and for all $o \in O$, $\neg H(s, o)$, then any request R(s, o) is granted
 - If s has read no object, it can read any object

Which Objects Can Be Read?

Theorem 8-1: Suppose $s \in S$ has read $o \in O$. If s can read $o' \in O$, $o' \neq o$, then $I_1(o') \neq I_1(o)$ or $I_2(o') = I_2(o)$.

• Says *s* can read only the objects in a single CD within any COI

Proof

Assume false. Then

 $H(s, o) \land H(s, o') \land I_1(o') = I_1(o) \land I_2(o') \neq I_2(o)$

Assume s read o first. Then H(s, o) when s read o, so by Axiom 8-2, $I_1(o') \neq I_1(o)$ or $I_2(o') = I_2(o)$, so

 $(I_1(o') \neq I_1(o) \lor I_2(o') = I_2(o)) \land (I_1(o') = I_1(o) \land I_2(o') \neq I_2(o))$

Rearranging terms,

 $(I_1(o') \neq I_1(o) \land I_2(o') \neq I_2(o) \land I_1(o') = I_1(o)) \lor (I_2(o') = I_2(o) \land I_2(o') \neq I_2(o) \land I_1(o') = I_1(o))$

which is obviously false, contradiction.

Lemma

Lemma 8-2: Suppose a subject $s \in S$ can read an object $o \in O$. Then s can read no o' for which $I_1(o') = I_1(o)$ and $I_2(o') \neq I_2(o)$.

- So a subject can access at most one CD in each COI class
- Sketch of proof: Initial case follows from Axioms 8-3, 8-4. If o' ≠ o, theorem
 immediately gives lemma.

COIs and Subjects

Theorem 8-2: Let $c \in C$. Suppose there are n objects $o_i \in O$, $1 \le i \le n$, such that $I_1(o_i) = c$ for $1 \le i \le n$, and $I_2(o_i) \ne I_2(o_j)$, for $1 \le i, j \le n, i \ne j$. Then for all such o, there is an $s \in S$ that can read o iff $n \le |S|$.

- If a COI has *n* CDs, you need at least *n* subjects to access every object
- Proof sketch: If s can read o, it cannot read any o'in another CD in that COI (Axiom 8-2). As there are n such CDs, there must be at least n subjects to meet the conditions of the theorem.

Sanitized Data

- v(o): sanitized version of object o
 - For purposes of analysis, place them all in a special CD in a COI containing no other CDs
- Axiom 8-5. $I_1(o) = I_1(v(o))$ iff $I_2(o) = I_2(v(o))$

Which Objects Can Be Written?

Axiom 8-6. $s \in S$ can write to $o \in O$ iff the following hold simultaneously

1. *H*(*s*, *o*)

2. There is no $o' \in O$ with H(s, o'), $I_2(o) \neq I_2(o')$, $I_2(o) \neq I_2(v(o))$, $I_2(o') = I_2(v(o))$.

- Allow writing iff information cannot leak from one subject to another through a mailbox
- Note handling for sanitized objects

How Information Flows

Definition: information may flow from o to o' if there is a subject such that H(s, o) and H(s, o').

- Intuition: if s can read 2 objects, it can act on that knowledge; so information flows between the objects through the nexus of the subject
- Write the information flow between o and o' as (o, o')

Key Result

Theorem 8-3: Set of all information flows is

 $\{ (o, o') \mid o \in O \land o' \in O \land I_2(o) = I_2(o') \lor I_2(o) = I_2(v(o)) \}$

Sketch of proof: Definition gives set of flows:

 $F = \{(o, o') \mid o \in O \land o' \in O \land \exists s \in S \text{ such that } H(s, o) \land H(s, o'))\}$

Axiom 8-6 excludes the following flows:

 $X = \{ (o, o') \mid o \in O \land o' \in O \land I_2(o) \neq I_2(o') \land I_2(o) \neq I_2(v(o)) \}$

So, letting F* be transitive closure of F,

 $F^* - X = \{(o, o') \mid o \in O \land o' \in O \land \neg (I_2(o) \neq I_2(o') \land I_2(o) \neq I_2(v(o))) \}$

which is equivalent to the claim.

Aggressive Chinese Wall Model

- Assumption of Chinese Wall Model: COI classes are actually related to business, and those are partitions
 - Continuing bank and oil company example, the latter may invest in some companies, placing them in competition with banks
 - One bank may only handle savings, and another a brokerage house, so they are not in competition
- More formally: Chinese Wall model assumes the elements of O can be partitioned into COIs, and thence into CDs
 - Define *CIR* to be the conflict of interest relation induced by a COI
 - For $o, o' \in O$, if o, o' are in the same COI, then $(o, o') \in CIR$

The Problem

- Not true in practice!
 - That is, in practice *CIR* does not partition the objects, and so not an equivalence class
 - Example: a company is not in conflict with itself, so $(o, o) \notin CIR$
 - Example: company c has its own private savings unit; b bank that does both savings and investments; oil company g does investments. So (c, b) ∈ CIR and (b, g) ∈ CIR, but clearly (c, g) ∉ CIR

The Solution

- Generalize *CIR* to define COIs not based on business classes, so *GCIR* is the reflexive, transitive closure of *CIR*
- To create it:
 - For all $o \in O$, add (o, o) to CIR
 - Take the transitive closure of this
- Then (o, o') ∈ GICR iff there is an indirect information flow path between o and o'
 - Recall $(o, o') \in CIR$ iff there is a direct information flow path between o, o'
- Now replace the COIs induced by *CIR* with generalized COIs induced by *GCIR*

Compare to Bell-LaPadula

- Fundamentally different
 - CW has no security labels, Bell-LaPadula does
 - CW has notion of past accesses, Bell-LaPadula does not
- Bell-LaPadula can capture state at any time
 - Each (COI, CD) pair gets security category
 - Two clearances, S (sanitized) and U (unsanitized)
 - S dom U
 - Subjects assigned clearance for compartments without multiple categories corresponding to CDs in same COI class

Compare to Bell-LaPadula

- Bell-LaPadula cannot track changes over time
 - Susan becomes ill, Anna needs to take over
 - C-W history lets Anna know if she can
 - No way for Bell-LaPadula to capture this
- Access constraints change over time
 - Initially, subjects in C-W can read any object
 - Bell-LaPadula constrains set of objects that a subject can access
 - Can't clear all subjects for all categories, because this violates CW-simple security condition

Compare to Clark-Wilson

- Clark-Wilson Model covers integrity, so consider only access control aspects
- If "subjects" and "processes" are interchangeable, a single person could use multiple processes to violate CW-simple security condition
 Would still comply with Clark-Wilson Model
- If "subject" is a specific person and includes all processes the subject executes, then consistent with Clark-Wilson Model

Quiz

Why are sanitized documents put into their own COI with one CD that holds them all?

- 1. It's really not necessary, but organizationally, it's easier to keep them separate from the sensitive documents.
- 2. It's necessary because otherwise two entities with access to different COIs could not access sanitized documents.
- 3. Mathematically, it's simpler to work with the sanitized documents in a separate COI.
- 4. The sanitized documents must be in the same COI but also should be in separate CDs corresponding to the CDs in which the unsanitized documents reside.