Homework 4

Due: May 30, 2025 **Points:** 100

All programs are to be submitted through Gradescope. Gradescope will compile and execute your program, sometimes with varying inputs or invocations. You can see your score once executions are done. You can submit your program multiple times, up to the deadline — at that point, the score you have will *usually* be the grade for that problem. I say "usually" because we reserve the right to look at your submission and deduct points if you do not use proper programming style.

You have to name your program as given in the problem. Otherwise you will get an odd error message indicating there is a problem with Gradescope.

Also, your output must match Gradescope's *exactly*, including blanks and tabs — so pay attention to the example output!

- 1. (25 points) Now enhance what you did for question 1. Have your program determine when the game is over that is, there is a winner (three in a row, column, or diagonal) or a tie (no winner and all 9 squares on the board are full). Print the results on the standard output:
 - If X wins, print "Game over! X won!\n";
 If O wins, print "Game over! O won!\n"; or
 If X wins, print "Game over! It's a tie!\n".

Call your program ttt.c. You can find an executable for it, in the directory /home/bishop/hw3.

2. (40 points) Write a program that reads words from one or more files named on the command line and prints the words in sorted order (use ASCII ordering), and a count of how many times each word appears in the input. The easiest way to do this is to use a linked list. A node in the list might look like:

You *cannot* make any assumptions about the maximum length for a word, so you must allocate space for each word as well as for the node.

A word is a maximal string of digits, letters, and underscores.

When you print your words, print the count in the first 5 spaces then a blank, and then the word. In other words, use the format string "%5d %s".

If your program cannot open a file for reading, print the file name followed by a colon and a space (": ") and then append the system error message. The best way to do this is to use the library function *perror*(3).

Your program is to return an exit status code that is the number of files named on the command line that could not be opened. So if all files can be opened, the exit status code is 0; if five such files cannot be opened, the exit status code would be 5.

Here is an example input and output. Suppose the following is the preamble to the United States Declaration of Independence, and is in the file "declindep":

The unanimous Declaration of the thirteen united States of America, When in the Course of human events, it becomes necessary for one people to dissolve the political bands which have connected them with another, and to assume among the powers of the earth, the separate and equal station to which the Laws of Nature and of Nature's God entitle them, a decent respect to the opinions of mankind requires that they should declare the causes which impel them to the separation.

Run your program as:

wordsorta declindep

The first 20 lines of your output will be:

- 1 America
- 1 Course
- 1 Declaration
- 1 God
- 1 Laws
- 2 Nature
- 1 States
- 1 The
- 1 When
- 1 a
- 1 among
- 3 and
- 1 another
- 1 assume
- 1 bands
- 1 becomes
- 1 causes
- 1 connected
- 1 decent
- 1 declare

Call your program "wordsorta.c".

3. (10 points) Write a second version of the program in the question above, or modify your answer, but this time sort in lexicographical (dictionary) order, not ASCII order. In lexicographical order, upper case letters are treated as though they were lower case. For example, "The" and "the" are considered the same word, so your output would show "the" occurring twice.

Using the input file in question 2, here are the first 20 lines of output:

- 1 a
- 1 America
- 1 among
- 3 and
- 1 another
- 1 assume
- 1 bands
- 1 becomes
- 1 causes
- 1 connected
- 1 Course
- 1 decent
- 1 Declaration
- 1 declare
- 1 dissolve
- 1 earth
- 1 entitle
- 1 equal
- 1 events
- 1 for

If you look at the word "The", you will see it occurs 11 times in the text, because 10 of them begin with a lower case "t" and one with an upper case "T" (see the output in question 2).

Call your program "wordsortl.c".

4. (25 points) The program revfile.c is supposed to read in up to 1023 lines of input, the maximum input line length being 1023 characters. It should then print the lines in reverse order. But it doesn't; it crashes. Please identify the problem, and fix it.

Here is sample output for the *fixed* program. The standard input is taken from the file in question 2:

them to the separation.

mankind requires that they should declare the causes which impel

Nature's God entitle them, a decent respect to the opinions of

separate and equal station to which the Laws of Nature and of

with another, and to assume among the powers of the earth, the

people to dissolve the political bands which have connected them

When in the Course of human events, it becomes necessary for one

The unanimous Declaration of the thirteen united States of America,

Call your fixed program "revfile.c".